MULTIMEDIA UNIVERSITY

STUDENT ID NO

MULTIMEDIA UNIVERSITY

FINAL EXAMINATION

TRIMESTER 3, 2015/2016

TEM1116 –PROBABILITY & STATISTICS

1 JUNE 2016
9.00a.m – 11.00a.m
(2 Hours)

INSTRUCTIONS TO STUDENT

1. This question paper consists of **8** pages excluding the cover page.
2. Answer **ALL three** questions in Section A and **ONLY one** of the two questions in Section B.
3. Please print all your answers for **both sections** A and B in the answer booklet provided.
4. All necessary working **MUST** be shown.
5. Key formulas and Statistical Tables are provided in Appendix.

SECTION A

Answer ALL three questions. (Total: 30 marks)

Question 1 (10 marks)

a) Time spent on the internet by all college students in Melaka has a mean, μ, of 58 minutes and a standard deviation, σ, of 8 minutes. A random sample of 100 students is selected.

i. Find the probability that their mean time spent on the internet, $\bar{x}$, is between 56 and 60 minutes. [2 marks]

ii. Find the probability that their mean time spent on the internet, $\bar{x}$, is less than 55.5 minutes. [2 marks]

b) Based on a sample of 100 college students selected from Selangor, construct a 95% confidence interval for the mean time spent on the internet by all college students in Selangor if the sample mean, $\bar{x}$, is 56 minutes and the population standard deviation, σ, is 8 minutes. [3 marks]

c) Nakano Corporation makes auto batteries. From a random sample of 150 such batteries selected, 115 of the batteries can last for at least 3 years. Construct a 90% confidence interval for the proportion of all batteries, p, that can last for at least 3 years. [3 marks]

Continued.....

Question 2 (10 marks)

a) A student is interested to know if the app that he designed could really measure blood pressure. He tested his app on 20 randomly selected adults and found that their average systolic pressure, $\bar{x}$, is 139mmHg with a standard deviation, s, of 12mmHg. Based on this result, test $H_0 : \mu = 135$ versus $H_1 : \mu \neq 135$ at 2.5% significance level. It is known that the blood pressure of all normal adults (measured using a blood pressure cuff) is normally distributed with a population mean, μ, of 135mmHg.

i. Find the rejection region. [1.5 marks]
ii. Calculate the value of test statistics. [2 marks]
iii. Make a decision of this hypothesis test. Can he conclude that his app could really measures the blood pressure? [1.5 marks]

b) The weather in March 2016 was hotter compared to February 2016 and monthly electricity consumption for most households had increased. February's electricity bill for all households showed the standard deviation, σ, of RM30.128. A random sample of 30 households in a small town showed an average electricity bill, $\bar{x}$, of RM125.93 with a standard deviation, s, of RM32.194 for March's electricity bill. Based on this sample, did the population standard deviation, σ, of March electricity bill show an increment? Use $\alpha = 0.05$. Assume that the electricity bill for all households is normally distributed. [5 marks]

Question 3 (10 marks)
(Note: Use 4 decimal places in your calculation.)

An experimenter calculated an index of water contaminant exposure, x, from $n = 9$ rivers that can lead to the number of water poisoning cases, y, in a year. The summary of the results is as follows:

$\sum x$	$\sum y$	$\sum x^2$	$\sum y^2$	$\sum xy$
41.5600	141.6100	289.4222	2324.9900	743.9370

a) Determine S_{xx}, S_{yy}, and S_{xy}. [3 marks]

b) Determine the regression line, $y = \beta_0 + \beta_1 x$. [3 marks]

c) What should be the value of the index of water contaminant exposure if the experimenter aims to get zero number of cases in a year? [2 marks]

d) Calculate the correlation coefficient, r, and describe its meaning in this problem. [2 marks]

Continued.....

SECTION B

Answer ANY one question ONLY. (Total: 10 marks)

Question 4 (10 marks)

a) Venn diagram below shows the number of elements in set A, B and C.



i. Given that $n(B) = 4n(A \cap C)$, find the value of k. [2 marks]

ii. If $k = 1$, find $P(\overline{A} \cap (B \cup C))$. [2 marks]

b) Given the joint probability distribution of X and Y as below.

	X		
Y	1	2	3
1	0.10	0.04	0.30
2	k	$2k$	0.02

i. Find the value of k. [1 mark]

If $k = 0.18$, find

ii. $P(X = 2, Y = 2)$. [1 mark]

iii. the marginal distribution of X. [2 marks]

iv. $E(XY)$. [2 marks]

Question 5 (10 marks)

a) Suppose your vehicle is registered in a country that issues registration license plate numbers that consist of three letters (from A to Z) followed by four digits (from 0 to 9). If a license number is selected randomly, what is the probability that yours is selected? [2 marks]

b) Suppose that only 1% of all computers of a certain brand experience CPU failure during the warranty period. Consider a sample of 1000 computers,

i. what are the expected value and standard deviation of the number of computers in the sample that have the defect? [2 marks]

ii. what is the probability that exactly 10 sampled computers have the defect? [2 marks]

c) The joint density function for (X, Y) is given as follow:

$$f(x,y) = \frac{x^3 y^3}{16} \qquad 0 \le x \le 2, \qquad 0 \le y \le 2$$

i. Find the marginal density for X and Y. [1 mark]

ii. Are X and Y independent? [1 mark]

iii. Find $P(X \le 1)$. [1 mark]

iv. What is $P(X \le 1 / Y = 1)$? (No workings is needed for this question.) [1 mark]

Continued.....

Appendix
Key Formulas

Sampling Distribution

$$z = \frac{\bar{x} - \mu_{\bar{x}}}{\sigma_{\bar{x}}} \; ; \; \mu_{\bar{x}} = \mu \; ; \; \sigma_{\bar{x}} = \frac{\sigma}{\sqrt{n}}$$

Estimation

$(1-\alpha)100\%$ confidence interval for $\mu = \bar{x} \pm z_{\alpha/2}\sigma_{\bar{x}}$ OR $\bar{x} - z_{\alpha/2}\sigma_{\bar{x}} < \mu < \bar{x} + z_{\alpha/2}\sigma_{\bar{x}}$

$(1-\alpha)100\%$ confidence interval for $p = \hat{p} \pm z_{\alpha/2}\sqrt{\frac{\hat{p}\hat{q}}{n}}$ OR $\hat{p} - z_{\alpha/2}\sqrt{\frac{\hat{p}\hat{q}}{n}} < p < \hat{p} + z_{\alpha/2}\sqrt{\frac{\hat{p}\hat{q}}{n}}$

Hypothesis Testing

Test statistics: $t = \frac{\bar{x} - \mu}{s_{\bar{x}}}$; $s_{\bar{x}} = \frac{s}{\sqrt{n}}$

Test statistics: $\chi^2 = \frac{(n-1)s^2}{\sigma^2}$

Regression and Correlation

$$S_{xx} = \sum x^2 - \frac{(\sum x)^2}{n}$$

$$S_{xy} = \sum xy - \frac{(\sum x)(\sum y)}{n}$$

$$S_{yy} = \sum y^2 - \frac{(\sum y)^2}{n}$$

$$\beta_1 = \frac{S_{xy}}{S_{xx}}$$

$$\beta_0 = \bar{y} - \beta_1\bar{x} \quad ; \; \bar{y} = \frac{\sum y}{n} \quad ; \; \bar{x} = \frac{\sum x}{n}$$

$$r = \frac{S_{xy}}{\sqrt{S_{xx}S_{yy}}}$$

Joint Discrete Probability Distribution

$$E(XY) = \sum_x \sum_y xy \cdot P(x,y)$$

Binomial Distribution

Expected value, $E(X) = np$; Standard deviation, $\sigma = \sqrt{npq}$

$P(X = x) = {}^nC_x p^x (1-p)^{n-x}$

Joint Continuous Probability Distribution

Marginal density for X, $f(x) = \int_y f(xy)\, dy$

Continued.....

Statistical Tables

Table A.3 Standard Normal Curve Areas

$\Phi(z) = P(Z \le z)$



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
−3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
−3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
−3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
−3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
−3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
−2.9	.0019	.0018	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014
−2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
−2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
−2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
−2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0038
−2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
−2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
−2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
−2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
−2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
−1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
−1.8	.0359	.0352	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
−1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
−1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
−1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
−1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0722	.0708	.0694	.0681
−1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
−1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
−1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
−1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
−0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
−0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
−0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
−0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
−0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
−0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
−0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3482
−0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
−0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
−0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

Continued.....

Table A.3 Standard Normal Curve Areas *(cont.)*

$\Phi(z) = P(Z \leq z)$

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9278	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

Continued.....

Table A.5 Critical Values for t Distributions



	α						
ν	.10	.05	.025	.01	.005	.001	.0005
1	3.078	6.314	12.706	31.821	63.657	318.31	636.62
2	1.886	2.920	4.303	6.965	9.925	22.326	31.598
3	1.638	2.353	3.182	4.541	5.841	10.213	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.767
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
32	1.309	1.694	2.037	2.449	2.738	3.365	3.622
34	1.307	1.691	2.032	2.441	2.728	3.348	3.601
36	1.306	1.688	2.028	2.434	2.719	3.333	3.582
38	1.304	1.686	2.024	2.429	2.712	3.319	3.566
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	1.299	1.676	2.009	2.403	2.678	3.262	3.496
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Continued.....

Table A.7 Critical Values for Chi-Squared Distributions



	α									
ν	.995	.99	.975	.95	.90	.10	.05	.025	.01	.005
1	0.000	0.000	0.001	0.004	0.016	2.706	3.843	5.025	6.637	7.882
2	0.010	0.020	0.051	0.103	0.211	4.605	5.992	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.344	12.837
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.070	12.832	15.085	16.748
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.440	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.012	18.474	20.276
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.534	20.090	21.954
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.022	21.665	23.587
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.724	26.755
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	7.041	19.812	22.362	24.735	27.687	29.817
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.600	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.577	32.799
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.407	7.564	8.682	10.085	24.769	27.587	30.190	33.408	35.716
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.843	7.632	8.906	10.117	11.651	27.203	30.143	32.852	36.190	38.580
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.033	8.897	10.283	11.591	13.240	29.615	32.670	35.478	38.930	41.399
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.260	10.195	11.688	13.090	14.848	32.007	35.172	38.075	41.637	44.179
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.558
25	10.519	11.523	13.120	14.611	16.473	34.381	37.652	40.646	44.313	46.925
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.807	12.878	14.573	16.151	18.114	36.741	40.113	43.194	46.962	49.642
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.120	14.256	16.147	17.708	19.768	39.087	42.557	45.772	49.586	52.333
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
31	14.457	15.655	17.538	19.280	21.433	41.422	44.985	48.231	52.190	55.000
32	15.134	16.362	18.291	20.072	22.271	42.585	46.194	49.480	53.486	56.328
33	15.814	17.073	19.046	20.866	23.110	43.745	47.400	50.724	54.774	57.646
34	16.501	17.789	19.806	21.664	23.952	44.903	48.602	51.966	56.061	58.964
35	17.191	18.508	20.569	22.465	24.796	46.059	49.802	53.203	57.340	60.272
36	17.887	19.233	21.336	23.269	25.643	47.212	50.998	54.437	58.619	61.581
37	18.584	19.960	22.105	24.075	26.492	48.363	52.192	55.667	59.891	62.880
38	19.289	20.691	22.878	24.884	27.343	49.513	53.384	56.896	61.162	64.181
39	19.994	21.425	23.654	25.695	28.196	50.660	54.572	58.119	62.426	65.473
40	20.706	22.164	24.433	26.509	29.050	51.805	55.758	59.342	63.691	66.766

For $\nu > 40$, $\chi^2_{\alpha,\nu} = \nu\left(1 - \frac{2}{9\nu} + z_\alpha\sqrt{\frac{2}{9\nu}}\right)^3$

End of Page